

INSTALLATION INSTRUCTIONS

FOR ITEM 117694



CAUTION: FAILURE TO INSTALL THIS FIXTURE PROPERLY MAY RESULT IN SERIOUS PERSONAL INJURY OR DEATH AND PROPERTY DAMAGE. We recommend installation by a licensed electrician.

This product must be installed in accordance with applicable installation code(s), by a person familiar with the construction and operation of the product and the hazards involved.*

Caution: Do not exceed maximum wattage noted on fixture. Use only recommended bulbs with fixture.

Fixture Components

1. ACRYLIC BOWL ASSEMBLY
2. CANOPY ASSEMBLY
3. HUB ASSEMBLY W/LIGHT CLUSTER
4. STEM W/RUNNING THREAD & COUPLING

Caution:

Be sure power is off at the main breaker box prior to installation.

Read all instructions in their entirety before beginning installation.

1. Carefully unpack all components and make certain that everything is on hand.
2. Unscrew the two brass knobs from canopy to release the crossbar, keep them for later.
3. Using Customer Supplied Hardware affix the Crossbar directly to the J-Box ensuring the connection is suitable for a minimum of 20 lbs. and that electrical supply wires remain accessible.
4. Unravel fixture lead wires from top of hub and pass them through first running thread & screw in the running thread on the coupling on top of hub.
5. Pass wires through coupling and second running thread & couple both running threads together using the same coupling.
6. Pass the wires through Stem and check ring, slide stem over running thread and allow it to rest on top of hub.
7. Pass the wires through canopy and secure canopy & running thread using supplied hardware.
8. Following all local codes and procedures, make electrical wire connections from supply wires to fixture lead wires.
9. Secure canopy back onto studs from crossbar using reserved brass knobs.
10. Carefully install the Acrylic bowl using the Cable grippers and cables from hub
11. Install 3 X E26 A19 60W Bulbs (not included) into socket.
12. Power on and ENJOY!!



INSTALLATION INSTRUCTIONS

"A Commitment to Excellence in Lighting and Service"


CALL OUR CUSTOMER SERVICE DEPARTMENT AT 1-800-222-4009

MONDAY - FRIDAY 9:00a.m - 5:00p.m ET


visit us on the web at www.meyda.com

REVISION:


1) ACRYLIC BOWL ASSEMBLY




2) CANOPY ASSEMBLY



3) HUB ASSEMBLY W/LIGHT CLUSTER



4) STEM W/RUNNING THREAD & COUPLING ASSEMBLY



*DIMENSIONS AND DETAILS ARE SUBJECT TO MODIFICATION DURING PRODUCTION
© MEYDA TIFFANY INC © DESIGN COPYRIGHT, MEYDA TIFFANY, INC. ALL RIGHTS RESERVED, NO UNAUTHORIZED DUPLICATION

*TRANSPARENT FINISHES WILL VARY DEPENDING ON THE MATERIAL TO WHICH IT IS APPLIED AND THE FABRICATION TECHNIQUE.



ID# 60312-SP1-C24(117694)	BULB# 3 (BULBS NOT INCLUDED)	DATE:1/28/2026
CUST. DESIGN#	TYPE: E26 A19	DRAWN BY:TP1063
Fixture Type: Inverted Pendant	WATTS:60	VOLTAGE: 120
Lens Color: 113665 BOTTICINO IDALIGHT(FROSTED BOTH)	TOTAL AMPS: 1.5	SCALE: 1:32
Metal Finish: 3TB TIMELESS BRONZE (106391)	LOCATION: DAMP	APPROVAL:
Material: STEEL/ ACRYLIC	NOTES:	EST. WEIGHT: 13.10 LBS
		SHEET: 2 OF 3



INSTALLATION INSTRUCTIONS

"A Commitment to Excellence in Lighting and Service"


CALL OUR CUSTOMER SERVICE DEPARTMENT AT 1-800-222-4009

MONDAY - FRIDAY 9:00a.m - 5:00p.m ET

visit us on the web at www.meyda.com

REVISION:

5) OVERALL ASSEMBLY



*DIMENSIONS AND DETAILS ARE SUBJECT TO MODIFICATION DURING PRODUCTION
© MEYDA TIFFANY INC © DESIGN COPYRIGHT, MEYDA TIFFANY, INC. ALL RIGHTS RESERVED, NO UNAUTHORIZED DUPLICATION

*TRANSPARENT FINISHES WILL VARY DEPENDING ON THE MATERIAL TO WHICH IT IS APPLIED AND THE FABRICATION TECHNIQUE.



ID# 60312-SP1-C24(117694)	BULB# 3 (BULBS NOT INCLUDED)	DATE:1/28/2026
CUST. DESIGN#	TYPE: E26 A19	DRAWN BY:TP1063
FIXTURE TYPE: INVERTED PENDANT	WATTS:60	VOLTAGE: 120
LENS COLOR: 113665 BOTTICINO IDALIGHT(FROSTED BOTH)	TOTAL AMPS: 1.5	APPROVAL:
METAL FINISH: 3TB TIMELESS BRONZE (106391)	LOCATION: DAMP	EST. WEIGHT: 13.10 LBS
MATERIAL: STEEL/ ACRYLIC	NOTES:	SHEET: 3 OF 3