
# ASSEMBLY INSTRUCTIONS FOR #24280 (SX3)



#### **IMPORTANT**

TURN OFF THE POWER AT THE MAIN FUSE OR CIRCUIT BREAKER BOX BEFORE STARTING INSTALLATION

CAREFULLY UNPACK AND IDENTIFY ALL PARTS BEFORE ASSEMBLY. BULBS ARE NOT INCLUDED

- 1. Screw crossbar to j-box.
- Wire as per local electrical code.
- Screw fixture to crossbar with fixture screws.
- 4. Loosen fitter screws (Do Not Remove) so shade ring will fit into fitter cap.
- Place shade into fitter ring.
- Screw uno ring onto uno socket and tighten to shade.
- 7. Screw fitter screw in and tighten to shade ring.



"A Commitment to Excellence in Lighting and Service"

# **CUSTOMER NAME:**


# CUSTOMER #:




# **CUSTOMER PROPOSAL/CUT SHEET**

"A Commitment to Excellence in Lighting and Service"

CALL OUR CUSTOMER SERVICE DEPARTMENT AT 1-800-222-4009 MONDAY - FRIDAY 8:00 a.m. - 6:00 p.m. ET visit us on the web at www.meyda.com







 $\textcircled{\textbf{C}} \ \ \text{MEYDA TIFFANY, INC.} \ \ \textbf{C} \ \ \text{DESIGN COPYRIGHT, MEYDA TIFFANY, INC.} \ \ \text{ALL RIGHTS RESERVED, NO UNAUTHORIZED DUPLICATION}$ 

<i>[</i> 11	.~1
L U	ıC)
1-	Ľ

ITEM# 24280	BULB# 3	LOCATION	
DESIGN# SX3	TYPE MEDIUM BASE		
FIXTURE WALL SCONCE	WATT 60	DIMENSIONS/NOTES	
LENS/ GLASS COLOR	VOLTAGE 120		
FINISH MAHOGANY BRONZE	MATERIAL ZINC		WEIGHT

# **CUSTOMER NAME:**


# CUSTOMER #:




# **CUSTOMER PROPOSAL/CUT SHEET**

"A Commitment to Excellence in Lighting and Service"

CALL OUR CUSTOMER SERVICE DEPARTMENT AT 1-800-222-4009 MONDAY - FRIDAY 8:00 a.m. - 6:00 p.m. ET visit us on the web at www.meyda.com







 $\textcircled{\textbf{C}} \ \ \textbf{MEYDA TIFFANY, INC.} \ \ \textbf{C} \ \ \textbf{DESIGN COPYRIGHT, MEYDA TIFFANY, INC.} \ \ \textbf{ALL RIGHTS RESERVED, NO UNAUTHORIZED DUPLICATION}$ 

(Uı	$\Gamma$
(U	U)
<b>\</b>	

ITEM# 24280	BULB# 3	LOCATION
DESIGN# SX3	TYPE MEDIUM BASE	
FIXTURE WALL SCONCE	WATT 60	DIMENSIONS/NOTES
LENS/ GLASS COLOR	VOLTAGE 120	
FINISH MAHOGANY BRONZE	MATERIAL ZINC	WEIGHT